

Environmental Safety Management Corporation

AIR QUALITY, MOLD TESTING, ERGONOMICS, OSHA

21 SCOTT STREET
RIVERSIDE, NJ 08075
TEL: (856) 764-3557
FAX: (856) 764-3558
WWW.ESMCCORP.COM

March 24, 2022

Ms. Paula J. Smith
Business Administrator
Cape May County Technical School District
188 Crest Haven Road
Cape May Court House, NJ 08210

Dear Ms. Smith,

This report summarizes the results of our March 8, 2021 mercury air monitoring of the Cape May Technical School MAC gym.

Continuous air monitoring conducted during normal occupancy by students and staff revealed **average airborne mercury levels of 0.09 $\mu\text{g}/\text{m}^3$** ; below the NJ Department of Health guideline of 0.8 $\mu\text{g}/\text{m}^3$. Based upon these findings, no mercury inhalation exposure hazard is suggested.

Thank you for the opportunity to assist you with the evaluation. Our next mercury monitoring will be scheduled for June 2022.

Please contact me with any questions at (856)764-3557.

Sincerely,

Richard A. Lynch

Richard A. Lynch, MBA, CIEC
Industrial Hygienist
www.esmcorp.com

Reviewed and Authorized:

Richard M. Lynch

Richard M. Lynch, Ph.D., CIH, CMC, CMRS, CHFM
President, ESMCorp
rlynch@esmcorp.com